



## DELTA CREATIVE, INC.

## Material Safety Data Sheet

<b>IDENTITY</b> (As Used on label and List) <b>DELTA CERAMCOAT ACRYLIC THINNER</b>		Date Prepared October 12, 2010			
<b>SECTION I</b>					
Manufacturer's Name <b>Delta Creative, Inc.</b>		Emergency Telephone Number (800) 423-4135			
Address 2690 Pellissier Place		Telephone Number for Information (562) 695-7969			
City Of Industry, California 90601-1507		Revision October 12, 2010			
<b>SECTION II - Hazardous Ingredients/Identify Information</b>					
Hazardous Components (Specific Chemical Identity; Common Name(s))		OSHA PEL	ACGIH TLV	CA Prop 65	% (optional)
NONE		N/A	N/A	N/A	N/A
Chemical Family: N/A		N/A	N/A	N/A	N/A
Chemical Formula N/A		N/A	N/A	N/A	N/A
<b>DOT Information:</b> Not Regulated, Non Hazardous		N/A	N/A	N/A	N/A
<b>Note:</b> No known chemical compounds listed as carcinogens under OSHA, ACGIH, NTP, IARC, California Prop 65, or Other.		N/A	N/A	N/A	N/A
<b>SECTION III -Physical/Chemical Characteristics</b>					
Boiling Point		N/A	Specific Gravity (H <sub>2</sub> O = 1)		N/A
Vapor Pressure (mm Hg.)		N/A	Melting Point		N/A
Vapor Density (AIR = 1)		N/A	Evaporation Rate (Butyl Acetate = 1)		<1
Solubility in Water Dilutable					
Appearance and Odor Colored Liquid					
<b>SECTION IV -Fire and Explosion Hazard Data</b>					
Flash Point (Method Used) Not combustible.		Flammable Limits Not Flammable		LEL N/A	UEL N/A
Extinguishing Media No special media required					
Special Fire Fighting Procedures No special procedure required					
Unusual Fire and Explosion Hazards Not combustible					
<b>SECTION V -Reactivity Data</b>					
Stability	Unstable		Conditions to Avoid None		
	Stable	X			

# DELTA CERAMCOAT ACRYLIC THINNER

Incompatibility (*Materials to Avoid*)

None

Hazardous Decomposition or Byproducts

None

<b>Hazardous Polymerization</b>	May Occur		Conditions to Avoid
	Will Not Occur	X	None

## SECTION VI -Health Hazard Data

Routes of Entry:	Inhalation? <p style="text-align: center;">Yes</p>	Skin? <p style="text-align: center;">Yes</p>	Ingestion? <p style="text-align: center;">Yes</p>
------------------	---	---	--

Health Hazards (*Acute and Chronic*)

None.

Carcinogenicity:	NTP? <p style="text-align: center;">No</p>	IARC Monographs <p style="text-align: center;">No</p>	OSHA Regulated? <p style="text-align: center;">No</p>
------------------	---	--	--

This product does not contain any ingredient designated by IARC, NTP, ACGIH, or OSHA, as probable or suspected human carcinogens

Signs and Symptoms of Exposure

Inhalation: No known signs or symptoms associated with exposure to product.

Eye Contact: Slightly irritating. Does not injure eye tissue

Ingestion: No known signs or symptoms associated with exposure to product.

Skin Contact: Mild skin irritation is possible.

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation: Move exposed person to fresh air. If irritation persists, get medical attention promptly.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation develops, consult a physician.

Ingestion: Do not induce vomiting. If victim is conscious give plenty of water or milk to drink. Get medical attention immediately.

Skin Contact: Flush contaminated skin with plenty of water. Consult a physician if irritation develops.

## SECTION VII -Precautions for Safe Handling and Use

Steps To Be Taken in Case Material Is Released or Spilled

Control spill with paper towel. Dried refuse may be disposed of according to local, state and federal regulations.

Waste Disposal Method

Dried refuse may be disposed of according to local, state and federal regulations. Check with local authorities for details on disposal.

Precautions to Be Taken in Handling and Storing

Store material in a cool, dry and well ventilated area between 40°F-90°F. Keep containers closed and air tight.

Other Precautions

Keep container tightly closed when not in use.

**KEEP OUT OF REACH OF CHILDREN.**

## SECTION VIII -Control Measures

Respiratory Protection (*Specify Type*)

<b>Ventilation</b>	Local Exhaust	Recommended		
	Mechanical ( <i>General</i> )			None
				Special Other

**DELTA CERAMCOAT ACRYLIC THINNER**

May be used.

None

Protective Gloves

Impervious plastic or rubber.

Protective Glasses

Safety glasses may be worn to avoid eye contact.

Other Protective Clothing or Equipment

Long sleeve garments may be worn to avoid contact with skin.

Work/Hygenic Practices

Clean-up with soap and water. Wash hands with soap and water after using product. Close container tightly.

**SECTION IX - Disclaimer**

Delta Creative, Inc. Assumes no responsibility for personal injury or property damage to vendees, users or third parties caused by the product. Such vendees assumes all risks associated with the use of this product.

THE INFORMATION GIVEN AND RECOMMENDATIONS MADE HEREIN APPLY TO OUR PRODUCT ALONE AND ARE NOT COMBINED WITH OTHER PRODUCTS. ALL SUCH INFORMATION IS BELIEVED TO BE TRUE AND ACCURATE TO THE BEST OF OUR KNOWLEDGE. IT IS THE PURCHASER'S RESPONSIBILITY BEFORE USING ANY PRODUCT TO VERIFY THE OPERATING CONDITIONS AND TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PURPOSES.

**HMIS SYMBOL**

<b>HEALTH</b>	0
<b>FLAMMABILITY</b>	0
<b>REACTIVITY</b>	0
<b>PROTECTION</b>	0

**RATING**

SEVERE	4
SERIOUS	3
MODERATE	2
SLIGHT	1
MINIMAL	0

**Transportation Information:**

D.O.T. : Not Regulated

I.A.T.A.: Not Regulated

CERCLA RQ: None